This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

organic phosphorous-containing group groups bonded via an oxygen atom atoms to a mineral oxide of at least one element M, the composition said materials being characterized in that they are essentially amorphous, comprising in that they comprise an essentially monomolecular layer of an organic group groups bonded to the said mineral oxide via an oxygen atom of the said oxide to the phosphorous atom, and the composition is in that said materials are essentially free of a phosphate, phosphorus of about 15:1 - 200:1.

2. (Currently Amended) A composition Functionalised materials according to claim 1 comprising, distanced from the phosphorous atom, a sulphur-containing group or a reactive group that can be transformed into a sulphur-containing group, the composition said materials being essentially free of a sulphate phase of the said element M.

## 3. - 9. (Canceled)

10. (Currently Amended) A process for preparing a functionalized material according to claim 1, comprising contacting a suspension in a liquid of at least one mineral oxide of

3

an element M in a liquid with at least one solution in a solvent of at least one phosphorouscontaining compound with formula I:

$$(Cat^{+}O^{-})_{m}$$

$$(R)_{p}$$

$$||$$

$$(Cat^{+}O^{-})_{m}$$

$$||$$

$$(Cat^{$$

wherein in which the sum m+n+p+q is equal to 3, m=0, 1 or 2, q=0, 1 or 2, x=0 or 1, p=0, 1 or 2, R is a hydrocarbon group, X is a hydrocarbon group or a group with formula SiR"<sub>3</sub> wherein in which R" is a hydrocarbon group, Z is a hydrocarbon group optionally containing heteroatoms, Cat<sup>+</sup> is a monovalent cation and A is a sulphur-containing group or a reactive group that can be transformed into a sulphur-containing group, the said contact being made under conditions of pressure, temperature and acidity of the medium such that practically no phosphate, phosphonate, phosphinate or sulphate phase of the said element M is formed.

suspension in a liquid of at least one mineral oxide of element M is brought into contact with a solution in a solvent of a phosphorous-containing compound with formula I wherein in which Cat<sup>+</sup> is a proton H<sup>+</sup>, R is an alkyl group containing 1 to 18 carbon atoms or an aryl group containing 6 to 18 carbon atoms or an alkylaryl group containing 7 to 24 carbon atoms, X is selected from the group consisting of formed by alkyl groups containing 1 to 18 carbon atoms, aryl groups containing 6 to 18 carbon atoms, alkylaryl groups containing 7 to 24 carbon atoms, aryl groups containing 6 to 18 carbon atoms, alkylaryl groups containing 7 to 24 carbon atoms and groups with formula SiR"<sub>3</sub> wherein in which R" is a hydrocarbon group, Z is a saturated or unsaturated divalent alkyl group

containing 1 to 18 carbon atoms or a divalent aryl group containing 6 to 18 carbon atoms or a divalent alkylaryl or arylalkyl group containing 7 to 24 carbon atoms, and A is a sulphur-containing group selected from the group consisting of thiols and derivatives thereof and sulphonic acid groups and derivatives thereof.

## 12. - 15. (Canceled)

- 16. (Currently Amended) A composition Functionalized materials according to claim 2, comprising an organic sulphur-containing group selected from the group consisting of formed by thiols and derivatives thereof, and said sulphonic acid groups and derivatives thereof.
- 17. (Currently Amended) A composition Materials according to claim 16, wherein in which the organic sulphur-containing group is selected from the group consisting of a thiol group with formula -SH, a sulphide group with formula -S-R1 in which wherein R1 is a hydrocarbon residue, and a polysulphide group with formula -(S)<sub>y</sub>-R1, wherein in which y is a number equal to 2 or more and R1 is a hydrocarbon residue.
- 18. (Currently Amended) A composition Materials according to claim 16, wherein in which the organic sulphur-containing group is selected from the group consisting of a sulphonic acid group with formula -SO<sub>3</sub>H, organic sulphonate groups with formulae SO<sub>3</sub>R1 wherein in which R1 is a hydrocarbon residue, and a mineral sulphonate group with formulae -SO<sub>3</sub>(M')<sub>l/t</sub> wherein in which M' is an element with valency t from the periodic table.

5

- 19. (Currently Amended) A composition Materials according to claim 18, wherein the said organic sulphur-containing group is said the mineral sulphonate group of the formulae -SO<sub>3</sub>(M')<sub>l/t</sub> wherein M' is an alkali metal.
- 20. (Currently Amended) A composition Materials according to claim 2, further comprising a hydrocarbon chain of 1-24 carbon atoms bonding the phosphorous-containing group to the sulphur-containing group.
- 21. (Currently Amended) A composition Materials according to claim 20, wherein the hydrocarbon chain bonding the phosphorous-containing group to the sulphur-containing group is an aromatic chain, an aliphatic chain, or a saturated aliphatic chain.
- 22. (Currently Amended) A composition Materials according to claim 1, wherein in which M is designates an element selected from groups 3 4 and 8 17, IB, IIB, IIIB, IVB, VB, VIB, VIIB, VIII, IIIA, IVA, the lanthanides and or the actinides of the periodic table.
- 23. (Currently Amended) A composition Materials according to claim 1, wherein in which M is selected from the group consisting of titanium, zirconium, iron, aluminium, silicon and tin.
- 24. (Currently Amended) A composition Materials according to claim 23, wherein M is titanium, zirconium or aluminium.

6

- 25. (Currently Amended) A process according to claim 10, wherein in which the phosphorous-containing compound with formula I is a compound wherein in which Z is a saturated divalent alkyl group containing 1 to 6 carbon atoms.
- 26. (Currently Amended) A process according to claim 10, wherein in which the solvent for the phosphorous-containing compound is selected from the group consisting of tetrahydrofuran, dimethylsulphoxide, dichloromethane and water.
- 27. (Currently Amended) A process according to claim 10, wherein in which the phosphorous-containing compound with formula I is a compound in which wherein m=2, q=1 and n=p=zero.
- 28. (Currently Amended) A process according to claim 10, wherein in which the phosphorous-containing compound with formula I employed is a compound in which wherein n=2, q=1 and m=p=zero.

## Please add the following new claims:

-29. (New) A composition according to claim 1, wherein the number of phosphorus atoms present in any phase of the composition is less than about 10% of the total number of phosphorus atoms present in the composition.

30. (New) A composition according to claim 1, wherein the number of phosphorus atoms present in any phase of the composition is less than about 10% of the total number of phosphorus atoms present in the composition.--